

SAFETY DATA SHEET

United States			
Section 1. Identification Product name	ExcelGel™ S	DS Buffer Strips	
Catalogue Number	17134201	9 0 1 7 1 3 4 2 0 1	
Other means of identification Product type	Not available. Solid.		
Relevant identified uses of the su	ubstance or mixture and us	es advised against	
Identified uses Analytical chemistry. Laboratory chemicals Scientific research and developme Industrial applications: Analytical o		sientific research and development.	
Supplier	Cytiva Amersham Place Little Chalfont Buckinghamshire HP7 9NA United Kingdom +44 0800 515 313	Cytiva USA 100 Results Way Marlborough, MA 01752 1-800-526-3593	
In case of emergency	INFOTRAC - 24 Hour numb Outside of the United States	er: 1-800-535-5053 s, call 24 Hour number: 001-352-323-3500 (Call Collect)	
Section 2. Hazards identi	ification		
OSHA/HCS status	This material is considered 1910.1200).	hazardous by the OSHA Hazard Communication Standard (29 CFR	
Classification of the substance or mixture	SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 1B TOXIC TO REPRODUCTION - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic		
<u>GHS label elements</u> Hazard pictograms	environment: 75%		
Signal word	Danger		
Hazard statements	May cause an allergic skin n May cause genetic defects. May cause cancer. Suspected of damaging fert		
Precautionary statements			
Prevention	and understood. Wear prot	before use. Do not handle until all safety precautions have been read ective gloves, protective clothing and eye or face protection. Avoid ed work clothing must not be allowed out of the workplace.	

 Page: 1/9 Validation date 17 October 2023

Response	IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	Store locked up.
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	None known.
Section 3. Composition	on/information on ingredients

Substance/mixture	Mixture			
Other means of identification	Not available.			
CAS number/other identifiers				
CAS number	Not applicable.			
Ingredient name		%	CAS number	
acrylamide		0.55	79-06-1	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed Potential acute health effects

Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	May cause an allergic skin reaction.
Ingestion	No known significant effects or critical hazards.
Over-exposure signs/symptoms	<u>i</u>
Eye contact	No specific data.
Inhalation	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary



See toxicological information (Section 11)

Section 5. Fire-fighting measures				
Extinguishing media				
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.			
Unsuitable extinguishing media	None known.			
Specific hazards arising from the chemical	No specific fire or explosion hazard.			
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides			
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.			
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.			

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	inment and cleaning up
Small spill	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

17134201

Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 4 to 8°C (39.2 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits Ingredient name acrylamide

Exposure limits

ACGIH TLV (United States, 1/2022). Absorbed through skin. Skin sensitizer. Notes: Substance identified by other sources as a suspected or confirmed human carcinogen. Refers to Appendix A -- Carcinogens. Inhalable fraction and vapor. Because the estimated saturated vapor concentration may significantly contribute to the exposure at the TLV–TWA and evaporative losses of collected particulate matter may occur during sampling, both the particulate mass and vapor phase concentrations should be considered and summed to determine total airborne concentration. ACGIH 2005 Adoption

TWA: 0.03 mg/m³ 8 hours. Form: Inhalable fraction and vapor

NIOSH REL (United States, 10/2020). Absorbed through skin. Notes: See Appendix A - NIOSH Potential Occupational Carcinogen

TWA: 0.03 mg/m³ 10 hours. OSHA PEL (United States, 5/2018). Absorbed through skin.

TWA: 0.3 mg/m³ 8 hours. OSHA PEL 1989 (United States, 3/1989). Absorbed through skin. Notes: TWA: 0.03 mg/m³ 8 hours.

Biological exposure indices	
No exposure indices known.	
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



Page: 4/9 Validation date 17 October 2023

17134201

Section 9. Physical and chemical properties

,			
<u>Appearance</u>			
Physical state	Solid. [Polyacrylamide	Gel]	
Color	Colorless.		
Odor	Odorless.		
Odor threshold	Not available.		
рН	Not applicable.		
Melting point/freezing point	Not available.		
Boiling point, initial boiling point, and boiling range	Decomposes		
Flash point	Not applicable.		
Burning time	Not available.		
Burning rate	Not available.		
Evaporation rate	Not available.		
Flammability	Not available.		
Lower and upper explosive (flammable) limits	Not applicable.		
Vapor pressure	Not available.		
Relative vapor density	Not applicable.		
Relative density	Not available.		
Solubility(ies)			
M	edia	Result	
	old water ot water	Not soluble Not soluble	
Solubility in water	Not available.		
Partition coefficient: n-octanol/ water	Not applicable.		
Auto-ignition temperature	Not applicable.		
Decomposition temperature	Not available.		
SADT	Not available.		
Viscosity	Not applicable.		
Flow time (ISO 2431)	Not available.		
Particle characteristics			
Median particle size	Not available.		
Section 10. Stability and	reactivity		

Reactivity Chemical stability	No specific test data related to reactivity available for this product or its ingredients. The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
acrylamide	LD50 Dermal	Rabbit	1150 mg/kg	-
	LD50 Oral	Rat	124 mg/kg	-
Irritation/Corrosion				
Not available.				
<u>Sensitization</u>				
Not available.				
<u>Mutagenicity</u>				



Page: 5/9 Validation date 17 October 2023

ExcelGel™ SDS Buffer Strips					17134201	
Not available.						
Carcinogenicity Not available.						
Classification Product/ingredient name acrylamide	OSHA -	IARC 2A	NTP Reasonably anticipate	ed to be a human carcinoger	1.	
Reproductive toxicity Not available.						
<u>Teratogenicity</u> Not available.						
Specific target organ toxicity (Not available.	single expos	<u>ure)</u>				
<u>Specific target organ toxicity (</u> Name	repeated exp	<u>osure)</u>	Category	Route of exposure	Target organs	
acrylamide			Category 1	-	-	
Aspiration hazard Not available.						
Information on the likely routes of exposure	Routes of e	ntry anticipa	ated: Oral, Dermal, Inhala	tion, Eyes.		
Potential acute health effects						
Eye contact	No known s	ignificant e	ffects or critical hazards.			
Inhalation		0	ffects or critical hazards.			
Skin contact	-	May cause an allergic skin reaction.				
Ingestion		•	ffects or critical hazards.			
Symptoms related to the physics			ogical characteristics			
Eye contact Inhalation	•	No specific data. Adverse symptoms may include the following:				
Skin contact	reduced fet increase in skeletal ma	al weight fetal deaths lformations mptoms ma al weight fetal deaths	y include the following:			
Ingestion		mptoms ma al weight fetal deaths	y include the following:			
Delayed and immediate effects a	and also chro	nic effects	from short and long ter	<u>m exposure</u>		
Short term exposure						
Potential immediate effects Potential delayed effects	Not availab Not availab					
Long term exposure						
Potential immediate effects Potential delayed effects	Not availab Not availab					
Potential chronic health effects Not available.						
General Carcinogenicity Mutagenicity Reproductive toxicity	May cause May cause	cancer. Ris genetic defe	sk of cancer depends on o	occur when subsequently ex duration and level of exposur ild.		
Numerical measures of toxicity						
Acute toxicity estimates						



ExcelGel™ SDS Buffer Strips						17134201
Product/ingredient name		Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
acrylamide		124	1150	N/A	N/A	1.5
Section 12. Ecological in	formation					
Toxicity						
Product/ingredient name	Result		Specie	S		Exposure
acrylamide	Acute EC50 98000 μg/ Acute EC50 85000 μg/ Chronic NOEC 2.86 m	l Fresh water	Fish - <i>I</i>	ia - Daphnia ma Lepomis macro Pimephales pro		48 hours 96 hours 33 days
Persistence and degradability						
Product/ingredient name	Aquatic half-life	Phot	olysis		Biodegradabil	ity
acrylamide	-	100%	; 28 day(s)		Readily	
Bioaccumulative potential						
Product/ingredient name	LogPow	BCF			Potential	
acrylamide	-0.9	1.44			Low	
Mobility in soil Soil/water partition coefficient (K oc)	Not available.					
Other adverse effects	No known significant ef	fects or critical haz	zards.			
Section 13. Disposal cor	siderations					
Disposal methods	The generation of wast product, solutions and environmental protection	any by-products sh	nould at all tim	ies comply with	the requirement	ts of

	product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
RCRA classification	Not classified

Section 14. Transport information

Product is not regulated as dangerous goods for transport.

Section 15. Regulatory information

U.S. Federal regulations

gulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed

SARA 302/304

Composition/information on ingredients

				SARA 302 TF	νQ	SARA 304	1 RQ
Name		%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
acrylamide		0.55	Yes.	1000 / 10000	-	5000	-
SARA 304 RQ	909090.9 lbs /	412727.3 kg					
SARA 311/312							
Classification	GERM CELL M CARCINOGEN	SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 1B TOXIC TO REPRODUCTION - Category 2					
Composition/information of	on ingredients						
Name	%	Cla	ssification	1			



Category 1

SARA 313		3) -	
	Product name	CAS number	%
Form R - Reporting requirements	acrylamide	79-06-1	0.55
Supplier notification	acrylamide	79-06-1	0.55

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	None of the components are listed.
New York	None of the components are listed.
New Jersey	The following components are listed: ACRYLAMIDE
Pennsylvania	None of the components are listed.

California Prop. 65

WARNING: This product can expose you to Acrylamide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name		No significant risk level	Maximum acceptable		
Acrylamide					
International regulations					
Chemical Weapon Convention	Chemical Weapon Convention List Schedules I, II & III Chemicals				
Not listed.					
Montreal Protocol					
Not listed.					
Stockholm Convention on Persistent Organic Pollutants					
Not listed.					
Rotterdam Convention on Prior Informed Consent (PIC)					
Not listed.					
UNECE Aarhus Protocol on POPs and Heavy Metals					
Not listed.					
Inventory list					
United States	All components are active or exempted.				
Canada inventory	All components are listed or exempted.				
Section 16. Other inform	nation				
National Fire Protection Association (U.S.A.)					



Procedure used to derive the classification

Classification

SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 1B TOXIC TO REPRODUCTION - Category 2

Calculation method Calculation method Calculation method Calculation method Justification

Article Number :



Page: 8/9 Validation date 17 October 2023 History

Date of printing	10/17/2023
Date of issue/Date of revision	10/17/2023
Date of previous issue	7/11/2022
Version	9
	sds_author@cytiva.com
Key to abbreviations	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
References	Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

