

SAFETY DATA SHEET

United States		
Section 1. Identificatio Product name	HRP-labelled P	rotein A, 1 ml
Catalogue Number	NA9120-1ML	
Other means of identification Product type	Not available. Liquid.	
Relevant identified uses of th	e substance or mixture and uses a	dvised against
Identified uses Analytical chemistry. Laboratory chemicals Scientific research and develo Industrial applications: Analyti	opment ical chemistry. Laboratory use. Scient	ific research and development.
Supplier	Cytiva Amersham Place Little Chalfont Buckinghamshire HP7 9NA United Kingdom +44 0800 515 313	Cytiva USA 100 Results Way Marlborough, MA 01752 1-800-526-3593
In case of emergency	INFOTRAC - 24 Hour number: 1 Outside of the United States, ca	-800-535-5053 Il 24 Hour number: 001-352-323-3500 (Call Collect)
Section 2. Hazards ide	entification	
OSHA/HCS status	This material is considered haza 1910.1200).	rdous by the OSHA Hazard Communication Standard (29 CFR
Classification of the substand or mixture	CE SKIN SENSITIZATION - Category CARCINOGENICITY - Category AQUATIC HAZARD (LONG-TEF	1B
	Percentage of the mixture consi	sting of ingredient(s) of unknown acute oral toxicity: 1% sting of ingredient(s) of unknown acute dermal toxicity: 1% sting of ingredient(s) of unknown acute inhalation toxicity: 1%
<u>GHS label elements</u> Hazard pictograms		
Signal word Hazard statements	Danger May cause an allergic skin react May cause cancer. Harmful to aquatic life with long	
Precautionary statements		
Prevention Response	and understood. Wear protectiv Avoid release to the environmer allowed out of the workplace.	e use. Do not handle until all safety precautions have been read e gloves. Wear eye or face protection. Wear protective clothing. It. Avoid breathing vapor. Contaminated work clothing must not be nedical attention. IF ON SKIN: Wash with plenty of soap and water.
	Wash contaminated clothing be	ore reuse. If skin irritation or rash occurs: Get medical attention.
le Number : 2	5005172	Page: 1/8



Article

Version 8

Validation date 27 January 2021

HRP-labelled Protein A, 1 ml			NA9120-1ML					
Storage	Store locked up.							
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.							
Hazards not otherwise classified	None known.							
Section 3. Composition/	information on ingredients							
Substance/mixture	Mixture							
Other means of identification	Not available.							
CAS number/other identifiers								
CAS number	Not applicable.							
Ingredient name		%	CAS number					
sodium nitrate		0.105 - 0.1175	7631-99-4					
reaction mass of: 5-chloro-2-meth 2-methyl-2H-isothiazol-3-one [EC	yl-4-isothiazolin-3-one [EC no. 247-500-7] and no. 220-239-6] (3:1)	0.005 - 0.0125	55965-84-9					
Any concentration shown as a ran	ge is to protect confidentiality or is due to batch va	ariation.						
	nts present which, within the current knowledg ardous to health or the environment and hence							

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	May cause an allergic skin reaction.
Ingestion	No known significant effects or critical hazards.
Over-exposure signs/symptom	<u>s</u>
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	Adverse symptoms may include the following: irritation redness
Ingestion	No specific data.
Indication of immediate medical	attention and special treatment needed, if necessary
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	No specific treatment.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
See toxicological information (S	ection 11)

See toxicological information (Section 11)



Page: 2/8 Validation date 27 January 2021

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.						
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".						
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. nform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.						
Methods and materials for contain	inment and cleaning up						
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.						
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.						

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.



Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits sodium nitrate reaction mass of: 5-chloro-2-mett 247-500-7] and 2-methyl-2H-isoth (3:1)	
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Color	Colorless. / Light brown.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	[Product does not sustain combustion.]
Burning time	Not applicable.
Burning rate	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility	Easily soluble in the following materials: cold water and hot water.
Solubility in water	Not available.
Partition coefficient: n-octanol/ water	Not available.
Auto-ignition temperature	Not available.

Article Number :

25005172

Page: 4/8 Validation date 27 January 2021

Decomposition temperatureNot available.SADTNot available.ViscosityNot available.Flow time (ISO 2431)Not available.

Aerosol product

Section 10. Stability and reactivity

Reactivity Chemical stability	No specific test data related to reactivity available for this product or its ingredients. The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

	010							
Acute toxicity								
Product/ingredient name	Result			Species		Dose	Exposure	
sodium nitrate reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	LD50 Oral LD50 Oral			Rat Rat		1267 mg/kg - 53 mg/kg -		
Irritation/Corrosion								
Product/ingredient name	Result			Species	Score	Exposure	Observation	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Skin - Sever	e irritant		Human	-	0.01 %	-	
Sensitization Not available.								
Mutagenicity Not available.								
Carcinogenicity Not available.								
Classification								
Product/ingredient name	OSHA	IARC	NTP					
sodium nitrate	-	2A	-					
Reproductive toxicity Not available.								
Teratogenicity Not available.								
Specific target organ toxicity (s Not available.	ingle exposure	<u>e)</u>						
Specific target organ toxicity (r Not available.	<u>epeated expos</u>	<u>ure)</u>						
Aspiration hazard Not available.								
Information on the likely routes of exposure	Not available.							
Potential acute health effects								
Eye contact	No known sigr	nificant effe	cts or cr	itical hazards				
Inhalation	No known sigr							
Skin contact	May cause an							

Article Number :

25005172

Page: 5/8 Validation date 27 January 2021

Ingestion	No known significant effect	ets or critical ha	zards					
Symptoms related to the physica	0			•				
Eye contact	No specific data.							
Inhalation	No specific data.							
Skin contact	Adverse symptoms may in	clude the follow	ving:					
	irritation		•					
Ingestion	redness No specific data.							
Delayed and immediate effects a		om short and k	na t	orm ovn	osuro			
Short term exposure	ind diso chrome enects in		Jing t		03010			
	Neterrelleble							
Potential immediate effects Potential delayed effects	Not available. Not available.							
	Not available.							
Long term exposure	N 1 1 1 1							
Potential immediate effects	Not available. Not available.							
Potential delayed effects	Not available.							
Potential chronic health effects Not available.								
General	Once sensitized, a severe levels.	allergic reactio	n ma	y occur w	hen subseque	ntly exposed to	very low	
Carcinogenicity	May cause cancer. Risk of	of cancer depen	ds or	duratior	and level of e	xposure.		
Mutagenicity	No known significant effect	cts or critical ha	zards					
Teratogenicity	No known significant effec	cts or critical ha	zards	•				
Developmental effects	No known significant effect							
Fertility effects	No known significant effec	No known significant effects or critical hazards.						
Numerical measures of toxicity								
Acute toxicity estimates								
Product/ingredient name		Oral (mg/kg)		mal J/kg)	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and	
					(ppm)	(mg/l)	mists) (mg/ I)	
sodium nitrate reaction mass of 5-chloro-2-meth		1267 53	N/A 50		N/A N/A	N/A 0.5	N/A N/A	
2-methyl-2H-isothiazol-3-one (3:1)							
Section 12. Ecological in	formation							
<u>Toxicity</u>								
Product/ingredient name	Result		•			Exposure		
sodium nitrate	Acute EC50 522 mg/l Fre			Fish - F	96 hours			
	Acute LC50 161 mg/l Fresh water Acute LC50 323 mg/l Fresh water						48 hours 48 hours	
	Chronic NOEC 34.4 mg/l	Marine water		Algae -	Hormosira ban	ksii - Gamete	72 hours	
	Chronic NOEC 1.6 mg/l F	resh water		Fish - C Embryc	Coregonus clup	eaformis -	120 days	
Persistence and degradability					-			
Not available.								
Bioaccumulative potential								
Not available.								

Mobility in soil Soil/water partition coefficient (K ∞)	Not available.
Other adverse effects	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Article Number :

25005172

Page: 6/8 Validation date 27 January 2021

Section 14. Transport information

Product is not regulated as dangerous goods for transport.

Section 15. Regulatory in		
U.S. Federal regulations	TSCA 8(a) CDR Exemp	ot/Partial exemption: Not determined) 311: disodium hydrogenorthophosphate
Clean Air Act Section 112(b) Haz	zardous Air Pollutants	Not listed
(HAPs) Clean Air Act Section 602 Class	Substances	Not listed
Clean Air Act Section 602 Class II Substances		Not listed
DEA List I Chemicals (Precursor Chemicals)		Not listed
DEA List II Chemicals (Essential	Chemicals)	Not listed
<u>SARA 302/304</u>		
Composition/information on ing	gredients	
No products were found.		
SARA 304 RQ	Not applicable.	
SARA 311/312		
Classification	SKIN SENSITIZATION	
	CARCINOGENICITY - (Category 1B
<u>Composition/information on ing</u> Name	gredients %	Classification
sodium nitrate	∕ø ≤0.3	ACUTE TOXICITY (oral) - Category 4
		CARCINOGENICITY - Category 1B
reaction mass of 5-chloro-2-meth 2H-isothiazol-3-one and 2-methyl		ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 2
isothiazol-3-one (3:1)	-211-	ACUTE TOXICITY (inhalation) - Category 2
		SKIN CORROSION - Category 1C
State regulations		SKIN SENSITIZATION - Category 1A
Massachusetts	None of the component	s are listed
New York	None of the component	
New Jersey	None of the component	
Pennsylvania	The following compone	nts are listed: NITRIC ACID SODIUM SALT
<u>California Prop. 65</u>		
This product does not requir	e a Safe Harbor warning	under California Prop. 65.
International regulations		
Chemical Weapon Convention	List Schodulos I. II.& III.	Chomicals
· · ·		
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Convention on Pers	istent Organic Pollutant	<u>is</u>
Not listed.		
Rotterdam Convention on Prior	Informed Consent (PIC	
	Informed Consent (FIC	1
Not listed.		
UNECE Aarhus Protocol on PO	<u>Ps and Heavy Metals</u>	
Not listed.		
Inventory list		
United States	Not determined.	
Europe	Not determined.	
Canada inventory	All components are liste	ed or exempted.
· · · · · · · · · · · · · · · · · · ·		- P



Section 16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification		Justification	
SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 1B AQUATIC HAZARD (LONG-TERM) - Category 3		Calculation method Calculation method Calculation method	
History			
Date of printing	1/27/2021		
Date of issue/Date of revision	1/27/2021		
Date of previous issue	1/16/2020		
Version	8		
	sds_author@cytiva.com		
Key to abbreviations	IATA = International Air Transpor IBC = Intermediate Bulk Containe IMDG = International Maritime Da LogPow = logarithm of the octane	ner Dangerous Goods nol/water partition coefficient ntion for the Prevention of Pollution From Ships, 1973 as mod	dified
References	Not available.		
🔽 ha alta a ta a ta farma a	Alexandrian for the second state of the second	and the feature of a second second	

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

