

# **SAFETY DATA SHEET**

**United States** 

Section 1. Identification

Other means of identification

**Product name** 

High-Range Rainbow™ Molecular Weight

Markers, 250 µl

**Catalogue Number** RPN756E

**Product type** Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not available.

Identified uses

Use in laboratories

Industrial applications: Analytical reagent. Research.

Supplier

Amersham Place Little Chalfont Buckinghamshire

HP7 9NA United Kingdom +44 0800 515 313

In case of emergency INFOTRAC - 24 Hour number: 1-800-535-5053

Outside of the United States, call 24 Hour number: 001-352-323-3500 (Call Collect)

Section 2. Hazards identification

**OSHA/HCS** status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR

1910.1200)

Classification of the substance

or mixture

SKIN CORROSION/IRRITATION - Category 2

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 35.5% Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 35.5% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic

Cytiva USA

100 Results Way

1-800-526-3593

Marlborough, MA 01752

environment: 32.5%

**GHS label elements** 

Hazard pictograms



Signal word Warning

**Hazard statements** Causes serious eye irritation. Causes skin irritation.

**Precautionary statements** 

Prevention Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling. Response

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical attention.

Storage Not applicable.

67610166 Article Number: Page: 1/8



Version 9

Disposal Hazards not otherwise

classified

Not applicable None known.

# Section 3. Composition/information on ingredients

Substance/mixture Mixture
Other means of identification Not available.

**CAS** number/other identifiers

CAS number Not applicable.

Ingredient name%CAS numbersodium dodecyl sulphate3151-21-3mesna1.519767-45-4Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt, hydrate (1:2:2)16381-92-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

## **Description of necessary first aid measures**

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by

trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue

to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes

thoroughly before reuse.

**Ingestion** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in

a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

# Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** Causes serious eye irritation.

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

**Skin contact** Causes skin irritation.

**Ingestion** Irritating to mouth, throat and stomach.

### Over-exposure signs/symptoms

**Eye contact** Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** No specific data.

**Skin contact** Adverse symptoms may include the following:

irritation redness

**Ingestion** No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** No specific treatment.

67610166

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Article Number :

Page: 2/8

# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for

fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate For non-emergency personnel

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 For emergency responders

on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

### Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-

soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent

entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see

Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact Protective measures

Section 8 for additional information on hygiene measures.

with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty

containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

Conditions for safe storage. including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

sodium dodecyl sulphate mesna Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt,

hydrate (1:2:2)

Appropriate engineering

controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures** 

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree

of protection: chemical splash goggles.

Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all

times when handling chemical products if a risk assessment indicates this is necessary.

Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting

of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** Personal protective equipment for the body should be selected based on the task being performed

and the risks involved and should be approved by a specialist before handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the

task being performed and the risks involved and should be approved by a specialist before handling

this product

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected

respirator

# Section 9. Physical and chemical properties

### **Appearance**

Physical state Liquid. Color Brownish-red. Odor Odorless. Odor threshold Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available.

Flash point [Product does not sustain combustion.]

**Burning time** Not applicable. **Burning rate** Not applicable. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Lower and upper explosive Not available.

(flammable) limits

Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility Easily soluble in the following materials: cold water and hot water.

Solubility in water Not available. Partition coefficient: n-octanol/ Not available.

water

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 

Not available. SADT



Viscosity Not available. Flow time (ISO 2431) Not available.

Aerosol product

# Section 10. Stability and reactivity

**Reactivity** No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be

**products** produce

# Section 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-
mesna	LD50 Oral	Rat	4440 mg/kg	-
Glycine, N,N'-1,2-ethanediylbis	LD50 Oral	Rat	2000 mg/kg	-
[N-(carboxymethyl)-, sodium salt	t.			

# hydrate (1:2:2) Irritation/Corrosion

Not available.

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### **Teratogenicity**

Not available.

# Specific target organ toxicity (single exposure)

Not available.

# Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

Information on the likely routes Rou

Routes of entry anticipated: Oral, Dermal, Inhalation.

of exposure

Skin contact

## Potential acute health effects

**Eye contact** Causes serious eye irritation.

**Inhalation** Exposure to decomposition products may cause a health hazard. Serious effects may be delayed

following exposure.

Causes skin irritation.

**Ingestion** Irritating to mouth, throat and stomach.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** Adverse symptoms may include the following:

pain or irritation watering redness

**Inhalation** No specific data.

**Skin contact** Adverse symptoms may include the following:

irritation redness

Article Number: 67610166

Validation date 8 February 2021

Page: 5/8

Version 9



Ingestion

# No specific data

### Delayed and immediate effects and also chronic effects from short and long term exposure

### **Short term exposure**

Potential immediate effects Not available. Potential delayed effects Not available.

Long term exposure

Potential immediate effects Not available. Not available. Potential delayed effects

### Potential chronic health effects

Not available.

General No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. Teratogenicity No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
High-Range Rainbow Molecular Weight Markers, 250 ul	31619.9	N/A	N/A	N/A	N/A
sodium dodecyl sulphate	1288	N/A	N/A	N/A	N/A
mesna	4440	N/A	N/A	N/A	N/A
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt, hydrate (1:2:2)	2000	N/A	N/A	N/A	N/A

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water	Algae - Skeletonema costatum	96 hours
•	Acute LC50 900 µg/l Marine water	Crustaceans - Artemia salina - Adult	48 hours
	Acute LC50 1400 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 590 µg/l Fresh water	Fish - Cirrhinus mrigala - Larvae	96 hours
	Chronic NOEC 1.25 mg/l Marine water	Algae - Ulva fasciata - Zoea	96 hours
	Chronic NOEC 3.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC >1357 µg/l Fresh water	Fish - Pimephales promelas	42 days

### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
sodium dodecyl sulphate	-	>60%: 28 dav(s)	Readily

### **Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	<b>Potential</b>
sodium dodecyl sulphate	-2.03	-	low

# **Mobility in soil**

Soil/water partition coefficient (K Not available.

oc)

Other adverse effects No known significant effects or critical hazards.

# Section 13. Disposal considerations

# Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

67610166 Article Number:

# Section 14. Transport information

Product is not regulated as dangerous goods for transport.

# Section 15. Regulatory information

TSCA 5(a)2 proposed significant new use rules: 5-chloro-2-methyl-2H-isothiazol-3-one U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) Hazardous Air Pollutants Not listed

(HAPs)

Clean Air Act Section 602 Class I Substances Not listed Clean Air Act Section 602 Class II Substances Not listed **DEA List I Chemicals (Precursor Chemicals)** Not listed Not listed **DEA List II Chemicals (Essential Chemicals)** 

### SARA 302/304

### Composition/information on ingredients

No products were found.

**SARA 304 RQ** Not applicable.

**SARA 311/312** 

SKIN IRRITATION - Category 2 Classification EYE IRRITATION - Category 2A

Composition/information on ingredients

Name % Classification

sodium dodecyl sulphate ≤5 FLAMMABLE SOLIDS - Category 2 ACUTE TOXICITY (oral) - Category 4

SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A

SKIN CORROSION - Category 1B <3 mesna Glycine, N,N'-1,2-ethanediylbis[N-≤3 ACUTE TOXICITY (oral) - Category 4

(carboxymethyl)-, sodium salt,

hydrate (1:2:2)

State regulations

Massachusetts The following components are listed: GLYCERINE MIST

**New York** None of the components are listed.

The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL **New Jersey** 

Pennsylvania The following components are listed: 1,2,3-PROPANETRIOL

### **International regulations**

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### **Montreal Protocol**

Not listed.

# Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed

# **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### **Inventory list**

Article Number :

**United States** Not determined.


Europe All components are listed or exempted.

67610166

Canada inventory Not determined.

# Section 16. Other information

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright @1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

## Procedure used to derive the classification

Classification Justification

SKIN IRRITATION - Category 2 Calculation method EYE IRRITATION - Category 2A Calculation method

**History** 

Date of printing2/9/2021Date of issue/Date of revision2/8/2021Date of previous issue10/10/2019Version9

sds\_author@cytiva.com

Key to abbreviations

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations Not available.

References

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

IIII IIIII